JOURNAL OF THE BRITISH GRASSLAND SOCIETY

VOLUME 26, Nos. 1, 2, 3 and 4
and ANNUAL INDEXES
1971

Produced for

THE BRITISH GRASSLAND SOCIETY

by

LAMPORT GILBERT PRINTERS LTD.

READING

JOURNAL OF THE BRITISH GRASSLAND SOCIETY VOLUME 26, 1971

CONTENTS

NUMBER 1

	Page
Presidential address. *E. K. Woodford*	1
Productivity and canopy structure of two contrasting varieties of perennial ryegrass (*Lolium perenne* L.) grown in a controlled environment. *I. Rhodes*	9
Fertilizer N and the yield of cut grass swards in Eastern England. *J. S. Brockman, P. G. Shaw and K. M. Wolton*	17
An economic investigation into farming on land restored with pulverized fuel ash. *W. Morley Davies, E. W. F. Gillham and D. T. Simpson*	25
The plant component as a factor in ammonia volatilization from pasture swards. *J. W. McGarity and E. H. Hoult*	31
Effects of white clover on the botanical composition of swards of ryegrass, timothy and meadow fescue and mixtures of these three. *D. M. B. Chestnutt*	35
Productivity of Italian and perennial ryegrass mixtures. *I. V. Hunt*	41
The measurement of primary production and utilization on heather moors. *Sheila A. Grant*	51
Harvesting tetraploid ryegrass for seed. *H. M. Roberts*	59
Economic aspects of the inclusion of dried grass in dairy-cow rations. *J. R. Crabtree*	63
Book reviews	71
Conversion tables for British and metric weights and measures	73

NUMBER 2

A mathematical relationship between nitrogen input and output in cut grass swards. *J. S. Brockman, C. M. Rope and M. T. Stevens*	75
The effect of nitrogen, stocking rate and frequency of grazing by beef cattle on the output of pasture. *J. C. Escuder, R. P. Andrews and W. Holmes*	79
Net photosynthesis and leaf area index relationships in swards of *Dactylis glomerata* under contrasting defoliation regimes. *P. J. Vickery, V. C. Brink and D. P. Ormrod*	85
The use of *Megachile rotundata* F. as a pollinator of lucerne in glasshouses. *R. G. Aubury and H. H. Rogers*	91
The influence of sample size and number on the precision of estimates of herbage production and consumption in two grazing experiments. *J. Waddington and D. A. Cooke*	95
Faeces collection in young male lambs and wether sheep. *Jean W. Ingleton*	103
Summaries of papers read at the winter meeting of the British Grassland Society in London on 11 December 1970:	
The position of silage today. *R. Bee*	107
Silage fermentation and feed value. *R. J. Wilkins*	108
Laboratory methods of predicting feeding value of silage. *G. Alderman, F. C. Collins and H. W. Dougall*	109
Systems of silage making. *J. N. Lawton*	111
Recent and future advances in mechanized feeding of silage. *R. T. Lindsay and H. J. M. Messer*	112
Book reviews	114
Conversion tables for British and metric weights and measures	116

JOURNAL OF THE BRITISH GRASSLAND SOCIETY VOLUME 26, 1971

NUMBER 3

	Page
The significance and control of *Poa trivialis* in ryegrass pastures. *R. I. Haggar*	117
The effect of time and rate of N application on the productivity of grass swards in two environments. *K. M. Wolton, J. S. Brockman and P. G. Shaw*	123
Studies of response to fertilizer nitrogen. Part 1. The effect of pre-harvest application of fertilizer nitrogen on herbage production of S24 perennial ryegrass. *I. V. Hunt*	133
Advance note on research. A density-yield relationship in *Phleum pratense* L. and *Dactylis glomerata* L. *N. Thomas and H. A. Steppler*	143
Mechanical measurement of grazing times of sheep and a bias in visual assessment. *P. F. May and A. P. Kennedy*	145
The voluntary intake of diploid (S22) and tetraploid (Tetila tetrone) Italian ryegrass, and white clover by sheep. *D. J. Thomson*	149
A comparison of the growth of a cut sward with that of grazed swards, using a technique to eliminate fouling and treading. *A. Smith, R. A. Arnott and J. M. Peacock*	157
The effects of cutting and grazing systems on herbage production from grass swards. *J. Frame and I. V. Hunt*	163
Interactions of grazing and burning on heather moors. 2. Effects on primary production and level of utilization. *Sheila A. Grant*	173
A note on the liveweight change of sheep grazing at three stocking rates and two levels of nitrogenous fertilizer. *D. H. Scarisbrick*	183
Summaries of papers read at the summer meeting of the British Grassland Society held at Wye College, Ashford, Kent, 12 to 16 July, 1971	189
Book reviews	197
Conversion tables for British and metric weights and measures	199

NUMBER 4

The absorption of phosphate and calcium from different depths in soil by swards of perennial ryegrass. *P. Newbould, R. Taylor and K. R. Howse*	201
The effect of the grazing animal on the N status of grass swards. *J. S. Brockman, C. M. Rope and M. T. Stevens*	209
The effects of cutting and fertilizer treatments on the yield and botanical composition of chalk turf. *C. J. Smith, J. Elston and A. H. Bunting*	213
Competition between established and newly sown grass species. *J. King*	221
The relationship between intensity of grazing and the herbage consumption and growth of calves. *J. Hodgson, J. C. Tayler and C. R. Lonsdale*	231
The cattle dung patch. Part 1. *B. N. MacDiarmid and B. R. Watkin*	239
Burning molinia-dominant vegetation for grazing by red deer. *J. Miles*	247
The error in predicting pasture dry-matter digestibility from four different methods of analysis for lignin. *M. N. McLeod and D. J. Minson*	251
A study of the utilization of silages of different dry-matter content by young beef cattle with or without supplementary barley. *T. J. Forbes and N. Jackson*	257
Silage and milk production. A comparison between a diploid and a tetraploid ryegrass. *M. E. Castle and J. N. Watson*	265
Book reviews	271
Annual index	273
Conversion tables for British and metric weights and measures	276

The British Grassland Society does not accept responsibility for opinions and statements contained in contributed articles, or in those reproduced from other sources. Nor does it accept responsibility for any statements contained in advertisements included in the Journal.

Please substitute these revised indexes for those published in Vol. 25, No. 4, pp. 315-6, parts of which are incorrect in so far as they concern the pagination of No. 4 of this volume.

JOURNAL OF THE BRITISH GRASSLAND SOCIETY

AUTHOR INDEX, VOLUME 25, 1970 (Revised)

Alder, F. E., 53, 162
Anderson, B. K., 136
Baker, H. K., 78
Bofinger, V. J., 119
Brockman, J. S., 7, 113, 255
Burnham, C. P., 272
Calder, F. W., 144
Castle, M. E., 65, 278
Charles, A. H., 30
Conway, A., 85
Court, M. N., 272
Cumberland, P. H., 214
Flecchia, P., 92
Floate, M. J. S., 295
Forbes, T. J., 96
Frame, J., 167
Harvey, J. L., 207
Holmes, W., 1
Irwin, J. H. D., 96
Ivins, J. D., 172
Jackson, N., 136
Jagtenburg, W. D., 266
Jewiss, O. R., 107
Jones, E. L., 72
Jones, M., 195
Jones, R. J. A., 272
Lambert, D. A., 107
Lovett, J. V., 119
McFeely, P. C., 261
Mee, C. J., 72
Morris, R. M., 198
Mowat, D. N., 44
Osbourn, D. F., 37
O'Toole, M. A., 131
Phillips, J. D., 65
Rhodes, I., 233, 285
Robson, M. J., 220
Ryle, G. J. A., 20
Sant, F. I., 233
Scarisbrick, D. H., 172, 207
Sharkey, M. J., 289
Shaw, P. G., 113, 255
Sheard, R. W., 44
Stobbs, T. H., 73
Tayler, J. C., 37, 180
Tayler, R. S., 261
Taylor, M. M., 65
Thomson, A. J., 309
Tinsley, J., 272
Toynbee-Clarke, G., 228
Warboys, I. B., 210
Watson, J. N., 65, 278
Whitehead, D. C., 236
Wilkins, R. J., 37, 125
Wilkinson, J. M., 214
Williams, I. G., 72
Wilman, D., 154, 242, 303
Wilson, D. B., 220
Winch, J. E., 44
Wolton, K. M., 7, 113, 255

SUBJECT INDEX, VOLUME 25, 1970 (Revised)

Altitude, grasslands, effect on, 272
Apparatus, yield measurement, rape, 119

Barley
  meal, silage additive, 136
  preceding crop effects, 30
  silage, whole crop *v.* artificially dried, 37
Beef production
  calf rearing, 92
  grazing management, 85
  in UK, 78
  silage, 96
    supplementation, dried fodder, 180
  weight at turn-out, relation, 214
Book reviews
  Brady, N. C. [Ed.] Advances in agronomy. Vol. 21, 247
  Campbell, J. B. Experimental methods for evaluating herbage, 246
  Chase, A.; Niles, C. D. Index to grass species maintained in the Division of Grasses, Museum of Natural History, Smithsonian Institution, 104
  Cragg, J. B. [Ed.] Advances in ecological research. Vol. 5, 104
  Fried, M.; Broeshart, H. The soil-plant system in relation to inorganic nutrition, 314
Book reviews (*continued*)
  Gould, F. W. Grass systematics, 191
  Hogan, R. M.; Haise, H. R.; Edminster, T. W. [Eds] Irrigation of agricultural lands, 192
  Hubbard, C. E. Grasses. A guide to their structure, identification, uses, and distribution in the British Isles, 104
  Lowe, J. [Ed.] White clover research. Occasional Symposium No. 6, British Grassland Society, 246
  McVean, D. N.; Lockie, J. D. Ecology and land use in upland Scotland, 247
  Martin, H. [Ed.] Insecticide and fungicide handbook, 314
  Richardson, M. Translocation in plants, 192
  Rorison, I. H. [Ed.] Ecological aspects of the mineral nutrition of plants. A symposium of the British Ecological Society, 191
  Semple, A. T. Grassland improvement, 314
  Skoropanov, S. G. Reclamation and cultivation of peat-bog soils, 104
  Steward, F. C. Growth and organisation in plants, 314
  Whittington, W. J. [Ed.] Root growth. Proceedings of the fifteenth Easter School in Agricultural Science, University of Nottingham, 105
Botanical composition, grazing effects, 295
British Grassland Society
  history and development, 195
  Winter meeting
    Presidential address, 1
    papers read at 78, 85, 92, 96, 180
Brome grass (*Bromus inermis*)
  cutting date, 44
  grazing, mixtures, 144

Calves, grazing behaviour on turn-out, 214
Carbon content, roots, 236
Clover
  red (*Trifolium pratense*), roots, chemical composition, 236
  white (*T. repens*)
    cutting date, mixtures, 113
    grazing effects, mixtures, 113, 144
    N content, measurement, 289
    roots, chemical composition 236
    v. N application, 7
Cocksfoot (*Dactylis glomerata*)
  growth analysis, N application, 20
  roots, chemical composition, 236
Competition, 309
  cutting, 172, 207
  sowing rate, 172

Cultivation methods, hill grazing improvement, 210
Cutting
  competition effects, 172, 207
  date, 44, 113
  grazing simulation, 198
  height, regrowth relation, 220

DM content, measurement errors, 289
Death and decay, plant material in sward, 198
Digestibility, maturity stage effects, 154
Dried fodders
  field beans, whole crop, 228
  intake, 180
  v. silage, 125

Excreta, return to sward, simulation, 255

Fescue
  meadow (*Festuca pratensis*)
    grazing, liveweight gains, 53
    hay, liveweight gains, 162
    tillers, 107
  tall (*F. arundinacea*), subsequent crop, effect on, 30
Field beans (*Vicia faba*), drying and pelleting, 228
Flowering date, tillers, 107
Formic acid, silage additive, 65, 278

Grasses—see also individual species
  N application *v.* clover, 7
Grassland
  evaluation, in tropics, 73
  hill, improvement methods, 210
  soil and site conditions, 272
Grazing
  behaviour, calves, on turn-out, 214
  cattle *v.* sheep, 144
  excreta return simulation, 255
  management, beef production, 85
  rest periods, 53
  simulation, by cutting, 198
  systems, rotational *v.* continuous, 144, 198
  winter, spring growth effects, 167
  yield measurement method, 220
Growth, spring, winter grazing effects, 167

Irrigation, fertilizer N interaction, 261

Kale (*Brassica oleracea* var. *acephala*), preceding crop effects, 30

Leaf rigidity, anatomy relation, 233
Light utilization, grass mixtures, 285
Liveweight gains
  calves, on turn-out, 214
  grasses, trials, 53
  grassland evaluation, 73
  silage supplementation, 37
Lucerne (*Medicago sativa*)
  cutting date, 44
  mixtures, grazing effects, 144
  pellets, silage supplementation, 37
  roots, chemical composition, 236

Milk production, silage, 65, 278

Nitrogen
  application
    date, 261, 266
    grasses, 7, 20, 154, 242
    grass/clover, 7, 272
    residual effects, 303
    split *v.* single, 261
    winter grazing compensation, 167
  content
    measurement errors, 289
    roots, 236
  interaction, irrigation, 261
  mineralization, 295
Nutrient cycling, grazing, 295

Peatland, grass production, 131
Phosphorus
  content, roots, 236
  mineralization, 295

Rape (*Brassica napus*), yield measurement, 119
Ribgrass (*Plantago lanceolata*), competition, 172, 207
Roots, chemical composition, 236
Ryegrass
  Italian (*Lolium multiflorum*)
    digestibility, 154
    growth rate, 242
    N application, 154, 242, 261
    N, residual effects, 303
    subsequent crop, effect on, 30
  perennial (*L. perenne*)
    competition, 172, 207, 309
    drying and pelleting, 125
    grazing, liveweight gains, 53
    hay, liveweight gains, 162
    leaf rigidity, anatomy relation, 233
    mixtures of genotypes, 285
    N application, 261
    N content measurement, 289
    regrowth, 220
    roots, chemical composition, 236
    silage, 125
    varieties, mixtures, 309

Silage
  additive
    barley meal, 136
    formic acid, 65, 278
  bacterial flora, 70
  beef production, 96
  making
    losses, sealing effects, 136
    wilting, 37, 278
  milk production, 65, 278
  nutritive value, 37
  supplementation, dried fodders, 37, 180, 228
  v. dried fodders, 125
Slurry distribution, experimental plots, 72
Soils
  nutrient cycling, 295
  site conditions, grassland, effect on, 272
Sowing
  methods, hill grazing improvement, 210
  rate, competition effects, 172
Stocking rate, liveweight gain trials, 73
Sulphur content, roots, 236

Temperature, accumulated, spring growth commencement, 266
Tillers, age, and flowering, 107
Timothy (*Phleum pratense*)
  cutting date, 44
  grazing, 144
    liveweight gains, 53
  hay, liveweight gains, 162
  mixtures, clover, 144
  roots, chemical composition, 236
Tropics, grassland evaluation, 73

Water use efficiency, irrigation, 261